



LIGHT SPECS

AUG 2022

LOCATION	WHAT	QT	DESCRIPTION
BALCONY	Desk Dimmers	1x	AVOLITES ARENA [SOFTWARE VERSION 15.1]
		42x	2KW DIMMERCHANNEL
		6x	2KW DIMMERCHANNEL ON STAGEFLOOR [NOT PATCHABLE]
		6x	2KW DIMMERCHANNEL LEKO'S FRONT [NOT PATCHABLE]
STAGE	Conventional	12x	PAR64 230V 1000W MFL [CP62 - SINGLY PATCHED]
		2x	PAR36 ACL-SET [2000W]
		4x	CATEYE [500W]
		6x	PAR64 230V 1000W FLOORCAN MFL [CP62]
	Intelligent	4x	SHOWTEC ACTIVE SUNSTRIP [500W - WITH STAND]
		8x	MARTIN QUANTUM PROFILE [FIXED POSITION - IN TRUSS]
		4x	MARTIN QUANTUM PROFILE [FLOOR]
		12x	CHAUVET ROGUE R1 WAHSBEAM [IN TRUSS]
	Power	6x	CLF CONAN RGBW LEDPAR WITH ZOOM 11 - 58 DEGREE [FLOOR]
		2x	MARTIN ATOMIC STROBE 3000 [IN TRUSS]
		1x	63A 3FASE CEE 230V/400V BEHIND STAGE - ACCES STAGERIGHT UPSTAGE
			DISTRIBUTION 1X63A CEE ->2X32A CEE BEHIND STAGE - ACCES STAGERIGHT UPSTAGE
			DISTRIBUTION 1X32A CEE ->6X 16A SHUKO
HALL	Conventional [Front]	1x	LEKO ADB DW-104 [15-42DEG, 1000W, UPSTAGE CENTER]
		5x	STRAND HARMONY [15-28DEG], 1000W, STAGE RIGHT > STAGE LEFT]
		4x	PAR64 230V 1000W MFL, SIDE FRONT [CP62]
	Conventional Intelligent	1x	LEKO ADB DW-104 [15-42DEG, 1000W]
		6x	MARTIN QUANTUM PROFILE [FIXED POSITION - IN TRUSS]
		12x	CLF CONAN RGBW LEDPAR WITH ZOOM 11 - 58 DEGREE
	Smoke	2x	SWEFOG XEON II INTELLAHAZER [LIGHTING BALCONY & STAGE]
	Gels		A VARIETY OF LEE COLOURGELS, SEE LIST
	Misc.	1x	FLYBAR FOR BACKDROP UPSTAGE
			6M WIDE - MAX. 12KG - BACKDROPS ONLY! - NO POINTLOADS!

DE HELLING



De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl

LIGHT SPECS - PATCH 1/4 CONVENTIONAL

AUG 2022

4 DMX lines available:

A: Conventionals + Quantum Spot

B: Roque Beamwash + Quantum Floor

C: Conans Hall + Conans Floor

D: Guest [Empty]

CONVENTIONAL

QT	DESCRIPTION	LOCATION	ADDRESS	PERSONALITY	REMARKS
6X	PARCANS	STAGE	A-1 > A-6		UPSTAGE TRUSS [SINGLY PATCHED]
6X	PARCANS	STAGE	A-7 > A-12		DOWNSTAGE TRUSS [SINGLY PATCHED]
2X	ACL	STAGE	A-13 > A14		A-13 UPSTAGE TRUSS / A-14 DOWNSTAGE TRUSS
4X	CATEYE	STAGE	A-15 > A-18		UPSTAGE/ DOWNSTAGE TRUSS [SINGLY PATCHED]
1X	FRONT PROFILE [DJ]	HALL	A-24		HALL > STAGE LEFT
6X	FRONT PROFILE	FRONT	A-25 > A-30		STAGE RIGHT > STAGE LEFT
2X	SIDE PAR	HALL	A-31 > A-32		2X 2CH MIRRORED
3X	TOP PAR	STAGE	A-34 > A-36		TOP LIGHTS
6X	FLOOR	FRONT	A-37 > A-42		6X FLOORCAN 4X PASSIVE SUNSTRIP

* 6 FREE DIMMERCHANNELS ON THE FLOOR

**LIGHT SPECS - PATCH 2/4 - STAGE**

AUG 2022

INTELLIGENT

NR	DESCRIPTION	LOCATION	ADDRESS	PERSONALITY	REMARKS
1	SHOWTEC ACTIVE SUNSTRIP	STAGE	A-61	10 CHANNEL MODE - 10 DMX CH	ON FLOOR
2	SHOWTEC ACTIVE SUNSTRIP	STAGE	A-71	10 CHANNEL MODE - 10 DMX CH	ON FLOOR
3	SHOWTEC ACTIVE SUNSTRIP	STAGE	A-81	10 CHANNEL MODE - 10 DMX CH	ON FLOOR
4	SHOWTEC ACTIVE SUNSTRIP	STAGE	A-91	10 CHANNEL MODE - 10 DMX CH	ON FLOOR
1	MARTIN QUANTUM PROFILE	STAGE	A-101	EXTENDED MODE - 27 DMX CH	IN TRUSS
2	MARTIN QUANTUM PROFILE	STAGE	A-128	EXTENDED MODE - 27 DMX CH	IN TRUSS
3	MARTIN QUANTUM PROFILE	STAGE	A-155	EXTENDED MODE - 27 DMX CH	IN TRUSS
4	MARTIN QUANTUM PROFILE	STAGE	A-182	EXTENDED MODE - 27 DMX CH	IN TRUSS
5	MARTIN QUANTUM PROFILE	STAGE	A-209	EXTENDED MODE - 27 DMX CH	IN TRUSS
6	MARTIN QUANTUM PROFILE	STAGE	A-236	EXTENDED MODE - 27 DMX CH	IN TRUSS
7	MARTIN QUANTUM PROFILE	STAGE	A-263	EXTENDED MODE - 27 DMX CH	IN TRUSS
8	MARTIN QUANTUM PROFILE	STAGE	A-290	EXTENDED MODE - 27 DMX CH	IN TRUSS
9	MARTIN QUANTUM PROFILE	HALL	A-317	EXTENDED MODE - 27 DMX CH	IN TRUSS
10	MARTIN QUANTUM PROFILE	HALL	A-344	EXTENDED MODE - 27 DMX CH	IN TRUSS
11	MARTIN QUANTUM PROFILE	HALL	A-371	EXTENDED MODE - 27 DMX CH	IN TRUSS
12	MARTIN QUANTUM PROFILE	HALL	A-398	EXTENDED MODE - 27 DMX CH	IN TRUSS
13	MARTIN QUANTUM PROFILE	HALL	A-425	EXTENDED MODE - 27 DMX CH	IN TRUSS
14	MARTIN QUANTUM PROFILE	HALL	A-452	EXTENDED MODE - 27 DMX CH	IN TRUSS
1	MARTIN ATOMIC	STAGE	A-501	4 DMX CH	STAGE RIGHT
2	MARTIN ATOMIC	STAGE	A-505	4 DMX CH	STAGE LEFT
1	HAZER SWEFOG	BALCONY	A-509	1 DMX CH	
2	HAZER SWEFOG	STAGE	A-511	1 DMX CH	

DE HELLING



De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl

LIGHT SPECS - PATCH 3/4 - STAGE & FLOOR

AUG 2022

INTELLIGENT

NR	DESCRIPTION	LOCATION	ADDRESS	PERSONALITY	REMARKS
1	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-1	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
2	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-22	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
3	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-43	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
4	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-64	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
5	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-85	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
6	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-106	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
7	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-127	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
8	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-148	EXTENDED MODE - 21 DMX CH	IN TRUSS F & G
9	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-169	EXTENDED MODE - 21 DMX CH	IN TRUSS H & D
10	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-190	EXTENDED MODE - 21 DMX CH	IN TRUSS H & D
11	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-211	EXTENDED MODE - 21 DMX CH	IN TRUSS H & D
12	CHAUVET - ROGUE R1 -BeamWash	STAGE	B-232	EXTENDED MODE - 21 DMX CH	IN TRUSS H & D
15	MARTIN QUANTUM PROFILE	FLOOR	B-255	EXTENDED MODE - 27 DMX CH	STAGE FLOOR
16	MARTIN QUANTUM PROFILE	FLOOR	B-282	EXTENDED MODE - 27 DMX CH	STAGE FLOOR
17	MARTIN QUANTUM PROFILE	FLOOR	B-309	EXTENDED MODE - 27 DMX CH	STAGE FLOOR
18	MARTIN QUANTUM PROFILE	FLOOR	B-336	EXTENDED MODE - 27 DMX CH	STAGE FLOOR



De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl

LIGHT SPECS - PATCH 4/4 HALL & FLOOR

AUG 2022

LED

NR	DESCRIPTION	LOCATION	ADDRESS	PERSONALITY	REMARKS
1	CLF CONANS	HALL	C-1	EXTENDED MODE - 21 DMX CH	IN TRUSS C
2	CLF CONANS	HALL	C-22	EXTENDED MODE - 21 DMX CH	IN TRUSS C
3	CLF CONANS	HALL	C-43	EXTENDED MODE - 21 DMX CH	IN TRUSS C
4	CLF CONANS	HALL	C-64	EXTENDED MODE - 21 DMX CH	IN TRUSS A
5	CLF CONANS	HALL	C-85	EXTENDED MODE - 21 DMX CH	IN TRUSS A
6	CLF CONANS	HALL	C-106	EXTENDED MODE - 21 DMX CH	IN TRUSS E
7	CLF CONANS	HALL	C-127	EXTENDED MODE - 21 DMX CH	IN TRUSS E
8	CLF CONANS	HALL	C-148	EXTENDED MODE - 21 DMX CH	IN TRUSS E
9	CLF CONANS	HALL	C-169	EXTENDED MODE - 21 DMX CH	IN TRUSS E
10	CLF CONANS	HALL	C-190	EXTENDED MODE - 21 DMX CH	IN TRUSS E
11	CLF CONANS	HALL	C-211	EXTENDED MODE - 21 DMX CH	IN TRUSS B
12	CLF CONANS	HALL	C-232	EXTENDED MODE - 21 DMX CH	IN TRUSS B
13	CLF CONANS	FRONT	C-295	EXTENDED MODE - 21 DMX CH	GRIT
14	CLF CONANS	FRONT	C-316	EXTENDED MODE - 21 DMX CH	GRIT
15	CLF CONANS	FRONT	C-337	EXTENDED MODE - 21 DMX CH	GRIT
16	CLF CONANS	FRONT	C-358	EXTENDED MODE - 21 DMX CH	GRIT
17	CLF CONANS	FLOOR	C-379	EXTENDED MODE - 21 DMX CH	STAGE FLOOR
18	CLF CONANS	FLOOR	C-400	EXTENDED MODE - 21 DMX CH	STAGE FLOOR
19	CLF CONANS	FLOOR	C-421	EXTENDED MODE - 21 DMX CH	STAGE FLOOR
20	CLF CONANS	FLOOR	C-442	EXTENDED MODE - 21 DMX CH	STAGE FLOOR
21	CLF CONANS	FLOOR	C-463	EXTENDED MODE - 21 DMX CH	STAGE FLOOR
22	CLF CONANS	FLOOR	C-484	EXTENDED MODE - 21 DMX CH	STAGE FLOOR



De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl

LIGHT SPECS - HARTING

AUG 2022

HARTING

SHUKO	HARTING A	HARTING B	HARTING C	HARTING D	HARTING E	HARTING F	HARTING G	HARTING H
1		DJ PRO- FILE [DMX A-24]	PC SIDE FRONT [DMX A-33]	CATEYE 4 [DMX A-18]	PC SIDE FRONT [DMX A-33]		CATEYE 1 [DMX A-15]	CATEYE 3 [DMX A-17]
2			PAR SIDE FRONT [DMX A-32]	PAR 12 [DMX A-12]	PAR SIDE FRONT [DMX A-32]		CATEYE 2 [DMX A-16]	PAR 7 [DMX A-7]
3			PAR SIDE FRONT [DMX A-31]	PAR 11 [DMX A-11]	PAR SIDE FRONT [DMX A-31]	PAR 3 [DMX A-3]	PAR 6 [DMX A-6]	PAR 8 [DMX A-8]
4				PAR 10 [DMX A-10]	TOP PAR STAGE [DMX A-34]	PAR 2 [DMX A-2]	PAR 4 [DMX A-4]	PAR 9 [DMX A-9]
5					TOP PAR STAGE [DMX A-35]	PAR 1 [DMX A-1]	PAR 5 [DMX A-5]	
6					TOP PAR STAGE [DMX A-36]	ACL [DMX-13]		ACL [DMX A-14]
7	VS [CONANS]	VS [CONANS]	VS [CONANS]		VS [CONANS]	VS [CONANS]	VS [CONANS]	VS [CONANS]
8	VS [FANS]	VS [SPOTS]	VS [FANS]		VS [FANS]	VS [SPOTS]	VS [SPOTS]	VS [SPOTS]

DE HELLING



De Helling
Helling 7
3523CB Utrecht
The Netherlands


+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl

LIGHT SPECS - GELS

APRIL 2021

GELS

LEE NR	LEE NR	LEE NR	LEE NR	LEE NR	LEE NR	LEE NR	LEE NR	LEE NR
8	79	111	127	147	170	200	220	715
15	89	113	128	148	174	201	228	765
19	90	115	129	151	180	202	241	777
21	100	116	132	152	181	203	243	789
22	101	117	134	153	182	204	256	793
26	102	118	135	156	183	205	322	797
27	103	119	136	157	193	206	327	995
46	104	120	137	158	194	207	328	
48	105	121	139	161	195	208	332	
58	106	122	141	164	196	209	343	
71	107	124	142	165	197	210	366	
75	110	126	143	166	198	219	707	



Legenda



Lorem ipsum dolor sit amet,

14x Martin Quantum Profile



12x Roque R1 BeamWash



12x CLF Conan




2x Atomic 3000

Lo

De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl



Legenda Conventional Light

-  12x Par64 MFL, 1000W
-  2x ACL set
-  4x Cat-Eye Blinder
-  6x Strand Harmony

De Helling

Helling 7
3523CB Utrecht
The Netherlands

+31[0]30 22 1 99 44
production@dehelling.nl
www.dehelling.nl